


Power Generation from Mendezized[®] Metals

Mendezized[®] metals are power generators, delivering 100% clean electricity from their proven electrical power bases.

- 1 Mendezized[®] metals have been used over a five (5) year period to safely generate and supply AC and DC electrical power for numerous, conventional, light-commercial and office-grade, electrical-powered equipment and devices.
- 2 Measured amounts of electrical power generated from a Mendezized[®] metal source have exceeded one (1) gigawatt (i.e., 1,000 megawatts), which measurements were provided from industrial-grade, high-voltage, industry-standard electrical power meters.
- 3 Mendezized[®] electricity (i) can directly power equipment and devices requiring either AC or DC power with no requirements for conversion, (ii) is 100 percent (100%) clean, green power, with absolutely no emissions, and (iii) unlike conventional AC power is completely safe.
- 4 With a much lower cost and a high and constant power level profile, Mendezized[®] metals have major competitive advantages over conventional baseload power plant generators. Mendezized[®] metals can also be used to compliment conventional power generators. It's estimated Mendezized[®] metal electrical power generators will reduce costs for fossil fuel-fired powered plants by 75 to 80 percent (while reducing emissions by 90 percent), and reduce the cost of producing power from conventional renewable sources by 60 to 80 percent (or more).
- 5 The only requirement to launch Mendezized[®] metal electrical power generators for commercial and industrial market applications is to complete a "power modulator" which next-step presents virtually no technical risk.



September 2020

Independent, Letters of Opinion

CONTENTS	2
ABOUT THE AUTHOR	3
Summary bio information for Ronald K. Lewis (author of Letters of Opinion)	4
INDEPENDENT REVIEW, LETTERS OF OPINION	5
Letter of Opinion No. 1 – "Commercial Readiness"	6
Letter of Opinion No.2 – "Capacity Capability"	8
ELECTRICAL POWER MEASUREMENT DEVICE	10
Letter of Opinion No. 1 – "Commercial Readiness"	11

Contents

Ronald K. Lewis
INDEPENDENT LETTERS OF OPINION

About the Author

Summary bio information for Ronald Lewis

Ronald K. Lewis



Ronald Lewis is a senior-level engineer, highly experienced in the electrical power industry and large, complex projects requiring highly involved management and mission critical decision making. From September 2011 through 2014 he was responsible for the construction of a clean coal power plant in De Kalb, Mississippi for Southern Company, Mississippi Power and Kemper IGCC. There his responsibilities included management, construction and acceptance for Southern Company for what at that time was the largest industrial construction project in North America. He oversaw a construction budget exceeding \$4 billion and daily activities and construction progress of a workforce of over 4,500, including both skilled craftsman and professional engineering disciplines. His project responsibilities included coordinating efforts between state, local and federal government agencies and meeting all construction safety and environmental guidelines, and the tracking, registration and certification of more than 1,000 pressure vessels. This project was the first commercial implementation of integrated coal gasification to produce electricity using 21st century coal technology with an emissions signature of a natural gas-fired power plant.

As a Generation Process Specialist for Progress Energy, Hines Energy Complex, he was responsible for the operational and maintenance of five (5) combustion turbine combined cycle power plants. Ron is highly experienced with all the major areas of the power industry, including regulatory and compliance, management, staffing, maintenance and equipment and has a significant level of industry contacts. He's performed all tasks associated with operations and maintenance of combustion turbines, heat recovery steam generators (HRSGs), including assuring operational efficiency, unit reliability and compliance with safety and environmental standards. Additional experience includes: Position as an Electrical Supervisor and Plant Engineer for CEMEX, Inc.'s plant in Demopolis, AL; Managing 400 radiation workers who oversaw the repair and support of all nuclear powered vessels in the European Theater for the U.S. Navy, USS Simon Lake (AS-33); Managing 250 radiation workers as the Radiological Controls Officer, LT, for the Nuclear Repair facilities onboard USS Orion (AS-18) for the U.S. Navy; and, Position as Main Propulsion Officer, LT, for the U.S. Navy USS Casimir Pulaski (SSBN 633).

Mr. Lewis studied pre-Engineering with a Mining Engineer Major at University of Alabama and received a Bachelor of Science degree in Mechanical Engineering from Auburn University. Along with other continuing education, he completed Naval Nuclear Engineer School, U.S. Naval Reactors, Washington D.C.; Naval Nuclear Power School, U.S. Naval Reactors, Orlando, FL; Radiological Controls School, U.S. Naval Reactors, Charleston, SC, and Engineering Lab Technician School, U.S. Naval Reactors, Idaho Falls, ID.




Independent Evaluation and Letters of Opinion

Mr. Ronald Lewis (see summary bio attached) was introduced to Mendezized Metals Corporation (“MMC”) in May of 2019. Thereafter, Mr. Lewis completed an independent, third-party, in-person, on-site, hands-on evaluation of MMC and its use of Mendezized® metals to generate AC and DC electrical power.

The following pages provide two (2) independent letters of professional opinion prepared by Mr. Ronald Lewis as to MMC’s ability to commercially produce and sell electrical power produced from Mendezized® metals, and the electrical power generation capacity of said Mendezized® metals generators.

Ronald K. Lewis
INDEPENDENT LETTERS OF OPINION

Commercial Readiness to Generate Electricity from Mendezized Metals



Friday, September 20, 2019

Mr. Mario Gonzalez
522 7th Street
Rapid City, South Dakota 57701
Email: gnzlaw@aol.com

Re: Letter of Opinion for commercial-readiness of Mendezized[®] Electricity

Dear Mario,

On Friday, May 3rd, 2019, I visited Mendezized Metal Corporation's ("MMC") testing and demonstration facility located at 15441 N.E. 21st Avenue, North Miami Beach, Florida 33162. The purpose of my visit to MMC's facility was to complete an "in-person" evaluation of real-time, live demonstrations (in real-world applications) of Mendezized[®] Electricity being supplied from Mendezized[®] metals.

Prior to my in-person visit (to the MMC facility in North Miami), I completed a thorough review of the complete set of MMC's Northwestern University Atomic Testing Reports. In addition, I also reviewed a number of reports conducted by other respected research institutes, which further demonstrated results of MMC's energy being applied in other applications. During my time at MMC's facility, Dr. Mendez provided no less than ten (10) demonstrations of the MMC technology. Five (5) of these specifically demonstrated Mendezized[®] Electricity being "supplied from" an MMC Mendezized[®] metal source. The rates of Mendezized[®] Electricity I personally witness being delivered from Mendezized[®] metal sources ranged from 100's of kW's (kilowatts), to 100's of MW's (megawatts).

Based on my evaluation of the demonstrations I witnessed at MMC's facility, not only are vast amounts of electrical power able to be "stored" in Mendezized[®] metal sources, extraordinary amounts of electrical power can also be readily supplied therefrom. The only requirement I can see that MMC will require as a prerequisite to commercializing Mendezized[®] Electricity at an industrial scale, is for MMC to develop a custom designed "modulator" to regulate (modulate) the level of Mendezized[®] Electricity power supplied (up or down) to meet necessary application requirements (the "MMC Modulator"). Since Mendezized[®] Electricity is already in an AC power form, building the required MMC Modulator will not pose a technical challenge for MMC (as off-the-shelf components / technology can likely be used). I'd estimate a commercial grade MMC Modulator could be completed and market-ready within four to six (4-6) months. Furthermore, based on my discussions with Dr. Mendez, I would imagine the cost to deliver such an MMC Modulator would not exceed \$1.0 to \$1.5 million per 100 MW's of capacity.

Based on my multi-faceted evaluation, the advantages of MMC's technology for electric power applications are astonishing. Advantages include (i) low capital cost (likely 2.5% of conventional electrical power sources), (ii) operating costs (to produce electrical power) equaling 6% (or less) compared to conventional fossil fuel sources, (iii) electrical power that is "100% green", and (iv) Mendezized[®] Electricity power is totally safe, digital electrical power energy (it does not present the danger that conventional, high voltage electricity does).

Sincerely


PaZone Energy

Ron Lewis, President



Ronald K. Lewis
INDEPENDENT LETTERS OF OPINION

Electricity Generation Capacity of Mendezized Metals



October 28, 2019

Mendezized Metals Corporation
Attn: Alejandro Mendez, Ph.D.
15401 N.E. 21ST Avenue
North Miami Beach, Florida 33162

Re: Demonstration of Mendezized Digital AC Piezo Electricity at MMC's facility.


Dear Dr. Mendez:

I would like to confirm to Mendezized Metals Corporation (MMC) that upon my personal observations as an Engineer and as a Nuclear scientist during my personal visit on May 3, 2019 to your business facility in North Miami Beach, Florida, I can certify and verify the following scientific facts:

1. That using a professional Industrial 122,000 (maximum detection) Volts Digital Detector manufactured by AMPROBE, model TIC 300 PRO (which is used at high Power Production Levels in the Power Industry) I witnessed the production of Digital AC Piezo Electricity coming from a Mendezized 10 horsepower, three-phase alternating current generator which at only 2 Hertz caused the saturation of 122,000 volts for the AMPROBE industrial digital Voltage Meter which I'm sure it can be easily 1 million volts which multiplied by 300 amps x 3 phases = 900 amps x one (1) million volts equals to 900,000,000 watts or almost one (1) gigawatt of Mendezized Digital Piezo Electricity.
2. That I've been in many industrial electrical power plant facilities around the United States and worldwide, including specialty nuclear power producing facilities and have never witnessed the massive amount of Digital AC industrial electrical power, at this commercial level, using a power production set-up like MMC has right now.

Sincerely yours,
PaZone Energy, LLC

Ronald K. Lewis, President



NOTARIZED:

STATE OF Alabama, Marengo COUNTY, USA

On this 28th day of October, 2019, the individual described herein above, personally appeared before me, the undersigned, a notary public in and for the State of Alabama, duly commissioned and sworn, and executed this document and acknowledged that he, Ronald K. Lewis, signed and sealed the same of his own free and voluntary act and deed, for the uses and purposes herein mentioned.

Printed Name of Notary:

Sherry Malone
Sherry Malone

Notary Signature:

Notary Public in and for the State of:

Alabama

My appointment expires:

10/22/20



Ronald K. Lewis
INDEPENDENT LETTERS OF OPINION

Industry Standard Electrical Power Measurement Devices

Electrical Power Measurement Devices Used by Ron Lewis to
Complete his Evaluations to Prepare his Letters of Opinion

Industry Standard Measurement Devices

Ron Lewis' Mendezized® metals power generation opinions based on industry standard measurement devices

The independent , Letters of Opinion contained herein were prepared by Mr. Lewis following multiple in-person, on-site, hands-on evaluations of the Mendezized® metals power generators and the resulting electrical power they produced. Mr. Lewis' opinions were based on multiple factors, including his "eye witness" of the electrical AC power generated directly from the Mendezized® metals, which power levels were evidenced by multiple, industrial-grade, industry-standard electrical power measurement devices. These electrical power industry measurement devices included, but were not limited, to the GreenLee CMP 200 meter, and Amprobe TIC 300, high-voltage detector. These devices are seen pictured below as items No. 1 and No. 2, respectively.



- 1 GreenLee CMP-200-C Clamp meter;
- 2 Amprobe TIC 300 High-Voltage Detector

Search products...

AMPROBE

[Products](#) ▾ [Learn](#) ▾ [Support](#) ▾ [Where to Buy](#) ▾

[Home](#) [Latest News](#) [Is it hot or not?](#)



Is it hot or not?

Why utility crews trust the Amprobe TIC 300 PRO

Feedback from a major US utility and the 30 underground crews who serve a city

In every truck, on every trouble call, there's one tool crews reach for first to ensure their safety. That's the TIC 300 PRO. It's the go-to tool for underground crews servicing secondary power lines for a large US utility company in the Northeast. The crew's work takes them down manholes under historic cities where the infrastructure is aging and the problems are frequent.

As lead engineer responsible for troubleshooting, John K. can get calls anytime day or night from one of 30 underground crews. When a cable installer or splicer encounters out-of-the-ordinary electrical problems on the job, they call in a "trouble man". And when the trouble man has questions on how equipment operates, he calls John. John constantly stresses the importance of safety to all the crews. He tells them to always assume it's live until they know for sure. Whether they're working on 120V, 240V, 5kV or greater, on cables, transformers, or switches, they begin the

job by checking to see if the problem area is live or dead. That's the job of the TIC 300 PRO non-contact voltage detector.

Approximately 300 TIC tracers are in use throughout the system. Every crew carries at least one and usually two units in the truck. The cable installers, cable splicers, and trouble men all use them daily, often multiple times each day. They might see an exposed conductor, or a cable that's been cut off or broken. Sometimes one crew starts a job on their shift and another picks it on the next shift, and they need to know for sure what they are walking into.



Lights flash and the TIC 300 PRO beeps with increasing frequency as it nears a source of electricity, leaving the user no doubt whether the area is live or not. They can also quickly track where fault lines between two functioning points.

The crews like how simple the TIC 300 PRO is to use. One bright yellow button turns it on or off. With another button, the user can select either low or high voltage. Buttons are easy to press with heavy gloves, which is important because the crew must wear gloves and full PPE.

The TIC tracers get thrown around in the truck, but the tools are durable enough to take the rough treatment. John has seen some units last more than 20 years.

After using the TIC tracer product line for more than two decades, the crews all know it, trust it, and feel safe with them. To ensure a particular unit is working properly, they can just press the Test button.

John is not only responsible for troubleshooting but also for bringing new products into the company, so he's knowledgeable about his tool choices. He's looked at competitive non-contact voltage detectors, but the trust factor keeps the TIC 300 PRO his number one choice. It does the job, it doesn't fail, and his crews trust it. And that's exactly what they need.



The TIC 300 PRO High Voltage Tester: MSHA certified and intrinsically safe

[Download the application note](#)

[Home](#)

[About Us](#)

[Privacy Statement](#)

[Contact Us](#)

[Site Map](#)

[Beha-Amprobe/English](#)

[Beha-Amprobe/German](#)

© Amprobe

2020

